



TECNOCAT ELEVATION SYSTEMS


CML-B4-250

CML-B4-250

ELEVATION SYSTEMS


CML-B4-250 (GR) SPECIALLY COMPATIBLE WITH: VNL-G2 - VNL-GB2

	250 kg
	450 kg
	+ 270°




**BASE FILLED WITH GRAVEL
(GRAVEL NOT INCLUDED)**

CML-B4-250 (GR) GRAVEL



Pictures of OTHER OPTIONS See details on next page

CML-B4-250 (WA) WALL



CML-B4-250 (WA) WALL + BRACKETS



CML-B4-250 (MP)
METAL PLATE




CML-B4-250 (MC)
METAL
COUNTERWEIGHT




CML-B4-250 OTHER OPTIONS

ELEVATION SYSTEMS


CML-B4-250 (WA) WALL




CML-B4-250 (MP) METAL PLATE



CML-B4-250 (WA) WALL + BRACKETS



CML-B4-250 (MC) METAL COUNTERWEIGHT



PICTOGRAMS



ELECTRICAL POWER



MANUAL ROTATION EQUIPMENT



NOMINAL ELECTRIC POWER



PNEUMATIC ROTATION EQUIPMENT



ENERGY AUTONOMY BY BATTERIES



MOTORIZED ROTATION EQUIPMENT



PNEUMATIC SUPPLY



HYDRAULIC ROTATION EQUIPMENT



MAXIMUM LOAD CAPACITY



EQUIPMENT WEIGHT



MAXIMUM LOAD CAPACITY ACCORDING EN-13155



VACUUM SYSTEM AIR FLOW



TILTING EQUIPMENT



PUSHBUTTON CABLE LENGTH



MANUALLY TILTING EQUIPMENT



WIRELESS PUSHBUTTON



PNEUMATIC TILTING EQUIPMENT



LOAD CAPACITY ACCORDING EN-13155



MOTORIZED TILTING EQUIPMENT



EQUIPMENT SUPPORT SYSTEM



HYDRAULIC TILTING EQUIPMENT



LIFTING CRANE USABLE ROTATION



ROTATION EQUIPMENT